

Safety Data Sheet

Ceratrom® N 467

WACHS- U. CERESIN-FABRIKEN
TH.C.TROMM
G.M.B.H. KÖLN



acc. EC 1907/2006 (REACH-VO)

version: 08/08 E-DM-MF date of last change: 16.05.2013 print date May 16, 2013 page 1 / 5

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY

Trade name:	Ceratrom® N 467
Industrial sector:	Chemical industry, cosmetic industry, basic material
Use of the substance/preparation:	Product is defined as raw material for production or for further processing.
Recommended restrictions on use:	Please call us at the above telephone number to clarify further uses. We will connect you with the Applications Engineering staff to help you.
Company:	Please see Chapter 16
Street:	Wachs-u.Ceresin-Fabriken
City:	TH.C.TROMM GmbH
Information about substance / preparation:	Feuerstrasse 7 – 17
Phone:	D-50737 Köln
Fax:	Wachs-u.Ceresin-Fabriken TH.C.TROMM GmbH
e-mail:	+49(0)221 97 4552 0
Emergency telephone:	+49(0)221 97 4552 30
	+49(0)221 97 4552 0 (mo-fr 8:00 to 15:30 h) CET

2. HAZARDS IDENTIFICATION

2.1 Classification/ Hazards characteristics:	This product does not require labeling in sense of the preparation guideline 67/548/EWG and 1999/45/EG
2.2 Additional safety information for humans and the environment:	Risk of skin burns caused by hot melt.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/composition related information	
Chemical characterization:	wax compound
Hazard ingredients:	none
Chemical name:	
CAS No:	
EINECS No.:	
Percent %:	
Classification /labeling:	

4. FIRST AID MEASURES

General information :	Take away contaminated clothes.
In case of eye contact:	In case of contact with eyes, rinse immediately thoroughly with plenty of water.
	In case of eye irritation consult an ophthalmologist

Safety Data Sheet

Ceratrom® N 467

WACHS- U. CERESIN-FABRIKEN
TH.C.TROMM
G.M.B.H. KÖLN



acc. EC 1907/2006 (REACH-VO)

version: 08/08 E-DM-MF date of last change: 16.05.2013 print date May 16, 2013 page 2 / 5

In case of skin contact:	In case of contact with molten product, cool skin area rapidly with cold water. Do not peel solidified product off the skin.
In case of inhalation:	Move affected person into fresh air, keep warm and allow to rest. In case of respiratory tract irritation, consult a physician.
In case of ingestion:	Rinse mouth thoroughly with water.
Information to physician:	No data available.

5. FIRE- FIGHTING MEASURES

Suitable extinguishing media:	sand, foam ,dry powder, carbon dioxide (CO ₂)
Extinguishing media which must not to be used for safety reasons:	water
Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:	In case of fire may be liberated: Carbon dioxide, Nitro oxides (NO _x), soot and other organic products.
Special protective equipment for fire fighters:	In case of fire: Wear self-contained breathing apparatus.
Additional information:	Use water spray to protect personnel and to cool endangered containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Wear breathing apparatus if exposed to vapor/dusts/aerosols.
Environmental precautions:	Do not allow to drains, water courses or soil.
Cleaning procedures:	Allow product to cool down and solidify. Collect in suitable containers for recycling or disposal. Please look disposal considerations.

7. HANDLING AND STORING

Safe handling advice:	Avoid forming of wax vapor/fume. If this is not possible provide proper air ventilation; if necessary use suction plant.
Advice on protection against fire and explosion:	Steps against electrostatic charges should be provided. Product may only form ignitable compositions or burn, if heated up to temperatures higher than flash-point.
Additionally information	
Requirements for storage areas and containers:	Only use containers specially approved for the substance/product. Keep storage place cool and dry.
Hints on storage assembly	
Materials to avoid:	Strong oxidizing agents.
Further information on storage conditions:	Keep in cool, well ventilated place.
Fire class:	B
Storage class VCI:	11 (burnable solids)

Safety Data Sheet

Ceratrom® N 467

WACHS- U. CERESIN-FABRIKEN
TH.C.TROMM
G.M.B.H. KÖLN



acc. EC 1907/2006 (REACH-VO)

version: 08/08 E-DM-MF date of last change: 16.05.2013 print date May 16, 2013 page 3 / 5

Typical applications:

Observe technical data sheet.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

National occupational exposure limit value: not applicable

European occupational exposure limit value: not applicable

Engineering measures: In case of thermal processing, provide for extraction of vapors or adequate ventilation.

Personal protective equipment

Respiratory protection: Respiratory protection is necessary at aerosol or mist formation: use mask of filter types A2, A2/P2 or ABEK.

Hand protection: Hand protection in accordance to other used chemicals. Hand protection is recommended. Use protective skin cream regulatory.

Eye protection: Eye glasses with side protection.

Body protection: If contact with hot product is possible, please wear heat resistant and flame retardant protective clothing.

Hygiene measures: Usual precautions for proper handling of chemicals should be observed. After work, before meal breaks, clean wax soiled skin by water and emollient cleaning agent/soap. Avoid inhalation of wax fume.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: solid

Color: off-white to light yellow

Odor: low typical

Important health, safety and environmental information

pH-value: not applicable

Drop point (DIN ISO 2176): 60 – 90 °C

Boiling temperature / boiling range: undetermined

Vapor pressure: undetermined

Density at 20°C (DIN 53217): approx. 0,92 g/cm³

Solubility in Water at 20°C: insoluble

Viscosity at 120°C (DIN 53019): < 50 mPas

Flash point: (DIN ISO 2592): > 150 °C

Ignition temperature: not available

10. STABILITY AND REACTIVITY

Conditions to avoid: No hazardous reactions known.

Materials to avoid: Reactions with strong oxidizing agents.

Hazard decomposition products: No hazardous decompositions products known.

Safety Data Sheet

Ceratrom® N 467

WACHS- U. CERESIN-FABRIKEN
TH.C.TROMM
G.M.B.H. KÖLN



acc. EC 1907/2006 (REACH-VO)

version: 08/08 E-DM-MF date of last change: 16.05.2013 print date May 16, 2013 page 4 / 5

11. TOXICOLOGICAL INFORMATION

Non- human toxicological data

Acute oral toxicity:

LD50 (rat) > 2000 mg/kg

Additional information:

Data obtained by analogy e.g. QSAR.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

No data available.

Behavior in environmental compartments:

Technically correct releases of minimal concentrations to adapted biological sewage plant will not disturb the biodegradability of activated sludge.

Further information:

Do not allow uncontrolled discharge of product into the environment.

13. DISPOSAL CONSIDERATIONS

Product:

With respect to local regulations, e.g. dispose of to suitable waste incineration plant.

Waste designations in accordance with EWC

Waste key number:

No waste key number as per the European Waste types List can be assigned to this product, since such classification is based on the (as yet undetermined) use to which the product is put by the consumer. The waste key number must be determined as per the European Waste Types List (decision on EU Waste Types List 2000/532/EC) in cooperation with the disposal firm/producing firm/official authority. Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of.

Empty packages:

14. TRANSPORT INFORMATION

ADR/RID:

non-restricted

GGVS/GGVE:

--

IATA-TI:

--

IATA-DGR:

--

IMDG:

--

GGVSee:

--

15. REGULATORY INFORMATION

Labeling in accordance to EC-directive:

The product does not require a hazard warning label in accordance to 67/548/EWG and 1999/45/EC.

Safety Data Sheet

Ceratrom® N 467

WACHS- U. CERESIN-FABRIKEN
TH.C.TROMM
G.M.B.H. KÖLN



acc. EC 1907/2006 (REACH-VO)

version: 08/08 E-DM-MF

date of last change:

16.05.2013

print date

May 16, 2013

page 5 / 5

National regulation:

Please check local regulation and contact administration.

Water hazard class

Classification:

n.w. not water endangering; in accord. to VwVwS

16. OTHER INFORMATION

Recommended restrictions on use:

Not heated up to temperatures higher than flash point.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. With this latest version of the safety data sheet, all previous versions automatically lose their validity.